

Cennik produktów Aurora 01.2025

ważny od 01.01.2025



Wyłącznym dystrybutorem produktów marki Aurora w Polsce jest firma :

ProAUDIO-AVT Sp. z o.o.

54-530 Wrocław

ul. Graniczna 89a

www.proaudio.pl | info@proaudio.pl

tel.: +48 71.72.42.510 | fax : +48 71.72.42.520

Sprawdź stany i zamawiaj na: b2b.proaudio.pl



W celu złożenia zamówienia prosimy o kontakt z Twoim opiekunem lub bezpośrednio na adres mailowy lub telefon stacjonarny.

Informujemy, iż dotożyliśmy wszelkich starań aby cennik był kompletny oraz rzetelny. Niemniej jednak zastrzegamy sobie prawo do zmian cen w przypadku błędów.

Item	Description	Specifications	MSRP PLN netto
APS-1	Pole stand for temperature-check tablets	Adjustable height • 25lb base for stability	1 439,16 zł
APS-2-B	Adjustable height tablet stand for displays up to 21.5", black	Weighted base • Adjustable height (38"-65") • 75x75 & 100x100 VESA mounting pattern • 75x75mm & 100x100mm VESA mount pattern • Black	1 599,96 zł
APS-2-CS	Optional caster set for APS-2 mount	Adds rolling capability to the APS-2	200,60 zł
APS-2-W	Adjustable height tablet stand for displays up to 21.5", white	Weighted base • Adjustable height (38"-65") • 75x75 & 100x100 VESA mounting pattern • 75x75mm & 100x100mm VESA mount pattern • White	1 599,96 zł
ASP-42	4x2 Matrix (4K60 4:4:4) with USB Capture	4x2 Matrix (4K60 4:4:4) with USB Capture, Dante Option, 1G LAN PoE	5 217,96 zł
ASP-442A	4x4 HDMI® 2.0a Matrix	HDMI® 2.0a • Resolutions up to 4K2K @ 60Hz 4:4:4•HDR High Dynamic Range • HDMI® 3D Compliant • HDCP 2.2 Compliant • Allows any source to be displayed on multiple displays at the same time • Allows any HDMI® display to view any HDMI® source at any time • Supports 7.1 channel digital audio • Advanced EDID Functions • Easy installation with rack-mounting • Front LCD Status Display	6 021,96 zł
ASP-882A	8x8 HDMI® 2.0a Matrix	HDMI® 2.0a • Resolutions up to 4K2K @ 60Hz 4:4:4•HDR High Dynamic Range • HDMI® 3D Compliant • HDCP 2.2 Compliant • Allows any source to be displayed on multiple displays at the same time • Allows any HDMI® display to view any HDMI® source at any time • Supports 7.1 channel digital audio • Advanced EDID Functions • Easy installation with rack-mounting • Front LCD Status Display	13 659,96 zł
BT-AC1	Bluetooth Auracast Dongle Accessory for the VPX Series	The BT-AC1 is a Bluetooth™ Auracast USB Dongle accessory for the VPX AV over IP Series	1 599,96 zł
BX-25D		4.5" Woofer 40Hz-2000Hz • 25-Watt PoE+ Amplifier • Dante/AES67 • OLED Display with Selection Buttons for Status Information • Power/Status Indicators • Internal Web Server for Remote Diagnostics and Settings	4 413,96 zł
CA0052-F2T3R	3.5mm TRS to FEMALE DB9 2-TX 3-RX (Null Modem)	Download the price sheet addendum at http://portal.auroramm.com for graphical pinout reference	80,40 zł
CA0052-F3T2R	3.5mm TRS to FEMALE DB9 3-TX 2-RX	Download the price sheet addendum at http://portal.auroramm.com for graphical pinout reference	80,40 zł
CA0052-M2T3R	3.5mm TRS to MALE DB9 2-TX 3-RX (Null Modem)	Download the price sheet addendum at http://portal.auroramm.com for graphical pinout reference	80,40 zł
CA0052-M3T2R	3.5mm TRS to MALE DB9 3-TX 2-RX	Download the price sheet addendum at http://portal.auroramm.com for graphical pinout reference	80,40 zł
CA0061-2	Single IR Emitter	5Ft (1.5m) Length	160,80 zł
CA0062-1	IR Receiver Extension	For use with QX & DXE Series	144,72 zł
CA0094-3	DB9 to 5-pin Euro connector	DB9 Female to 5 pin 3.5mm Green Euro. TX, RX, GND (3 wire shielded) 3ft	63,92 zł
CA0095-3	3.5mm TRS to 5-pin Euro connector	3.5mm TRS Male to 5 pin 3.5mm Green Euro. TX, RX, GND (3 wire shielded) 3ft	71,96 zł
CW-1	4K30 4:4:4 HDMI to USB 3.1 Capture	4K30 4:4:4 HDMI to USB 3.1 Capture with Downscaling	1 197,96 zł
DIDO-X4	4x4 Scaler Matrix with USB 3.1 Capture	4x4 Scaler Matrix with USB 3.1 Capture, Dante Option, 1G LAN PoE+, Quad Scalers, Image Rotation, Contrast Edge Blending, Test Pattern Generators, Scopes, Chroma Keying	28 131,96 zł
DTM-1	Desktop mount for temperature-check tablets	Dual tilt allows for flexibility of face alignment	603,00 zł
DTM-3	Desktop mount for temperature-check tablets	Tilts up or down making alignment with a person easy • Best suited for 10.1" tablets • Can be used with 15" tablets for low profile mounting	554,76 zł
DTX-1616D	16x16 Dante DSP with 16x16 analog in and out	Dante DSP • Outstanding sound quality of 24bit/48kHz • Customized operating software for flexible configuration • End user interface for centralized control of multiple devices • AFC (Automatic feedback suppression), AEC (Acoustic echo cancellation), ANS (Automatic noise suppression), ANC (Automatic noise gain compensation), AGC (Automatic gain control), gain sharing, threshold auto mix, ducking processing module	22 286,88 zł

DTX-3232D	32x32 all-digital Dante DSP	Dante DSP • Outstanding sound quality of 24bit/48kHz • Customized operating software for flexible configuration • End user interface for centralized control of multiple devices • AFC (Automatic feedback suppression), AEC (Acoustic echo cancellation), ANS (Automatic noise suppression), ANC (Automatic noise gain compensation), AGC (Automatic gain control), gain sharing, threshold auto mix, ducking processing module	28 558,08 zł
DTX-44D	4x4 Dante DSP with 4x4 analog in and out	Dante DSP with dedicated analog channels • Outstanding sound quality of 24bit/48kHz • Customized operating software for flexible configuration • End user interface for centralized control of multiple devices • AFC (Automatic feedback suppression), AEC (Acoustic echo cancellation), ANS (Automatic noise suppression), ANC (Automatic noise gain compensation), AGC (Automatic gain control), gain sharing, threshold auto mix, ducking processing module	10 074,12 zł
DTX-6464D	64x64 Dante DSP Aggregator	Dante aggregation DSP • Outstanding sound quality of 24bit/48kHz • Customized operating software for flexible configuration • End user interface for centralized control of multiple devices • AFC (Automatic feedback suppression), AEC (Acoustic echo cancellation), ANS (Automatic noise suppression), ANC (Automatic noise gain compensation), AGC (Automatic gain control), gain sharing, threshold auto mix, ducking processing module	29 217,36 zł
DTX-88D	8x8 Dante DSP with 8x8 analog in and out	Dante DSP with dedicated analog channels • Outstanding sound quality of 24bit/48kHz • Customized operating software for flexible configuration • End user interface for centralized control of multiple devices • AFC (Automatic feedback suppression), AEC (Acoustic echo cancellation), ANS (Automatic noise suppression), ANC (Automatic noise gain compensation), AGC (Automatic gain control), gain sharing, threshold auto mix, ducking processing module	15 597,60 zł
DTX-AMP25-M	Dante 25 Watt PoE+ Amplifier	Dante 25 Watt PoE+ Amplifier with Analog Line Input & 4/8 Ohm Speaker Output	2 001,96 zł
DXB-8I-G2-B	8-button 1-gang backlit button control pad with serial, IR, and Ethernet control ports (black)	Mounts in standard 1-gang US box • 1 RS-232 port • 1 IR port • 1 10/100 Ethernet PoE port • Interchangeable laser etched buttons • Standard buttons included: ON, OFF, HDMI, VGA, UP, DN, SCN UP, SCN DN, MIC MUTE & AUDIO MUTE • See category "Accessories - DXB Series Button Caps" below for optional custom button options	2 001,96 zł
DXB-8I-G2-W	8-button 1-gang backlit button control pad with serial, IR, and Ethernet control ports (white)	Mounts in standard 1-gang US box • 1 RS-232 port • 1 IR port • 1 10/100 Ethernet PoE port • Interchangeable laser etched buttons • Standard buttons included: ON, OFF, HDMI, VGA, UP, DN, SCN UP, SCN DN, MIC MUTE & AUDIO MUTE • See category "Accessories - DXB Series Button Caps" below for optional custom button options	2 001,96 zł
DXB-C0A-B	DXB series button cap (0, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0A-W	DXB series button cap (0, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0B-B	DXB series button cap (1, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0B-W	DXB series button cap (1, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0C-B	DXB series button cap (2, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0C-W	DXB series button cap (2, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0D-B	DXB series button cap (3, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0D-W	DXB series button cap (3, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0E-B	DXB series button cap (4, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0E-W	DXB series button cap (4, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0F-B	DXB series button cap (5, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0F-W	DXB series button cap (5, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0G-B	DXB series button cap (6, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0G-W	DXB series button cap (6, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0H-B	DXB series button cap (7, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0H-W	DXB series button cap (7, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0J-B	DXB series button cap (8, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0J-W	DXB series button cap (8, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0K-B	DXB series button cap (9, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C0K-W	DXB series button cap (9, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1A-B	DXB series button cap (TV, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1A-W	DXB series button cap (TV, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1B-B	DXB series button cap (TV1, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1B-W	DXB series button cap (TV1, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1C-B	DXB series button cap (TV2, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1C-W	DXB series button cap (TV2, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1D-B	DXB series button cap (HDMI, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1D-W	DXB series button cap (HDMI, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1E-B	DXB series button cap (HDMI1, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1E-W	DXB series button cap (HDMI1, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C1F-B	DXB series button cap (HDMI2, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł

DXB-C4F-B	DXB series button cap (UP/DOWN, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4F-W	DXB series button cap (UP/DOWN, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4G-B	DXB series button cap (ENTER, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4G-W	DXB series button cap (ENTER, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4H-B	DXB series button cap (MENU, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4H-W	DXB series button cap (MENU, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4J-B	DXB series button cap (INPUT, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4J-W	DXB series button cap (INPUT, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4K-B	DXB series button cap (EXIT, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C4K-W	DXB series button cap (EXIT, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5A-B	DXB series button cap (POWER, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5A-W	DXB series button cap (POWER, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5B-B	DXB series button cap (ON, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5B-W	DXB series button cap (ON, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5C-B	DXB series button cap (OFF, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5C-W	DXB series button cap (OFF, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5D-B	DXB series button cap (VOL DOWN, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5D-W	DXB series button cap (VOL DOWN, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5E-B	DXB series button cap (VOL UP, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5E-W	DXB series button cap (VOL UP, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5F-B	DXB series button cap (MUTE AUDIO, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5F-W	DXB series button cap (MUTE AUDIO, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5G-B	DXB series button cap (MUTE MIC, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5G-W	DXB series button cap (MUTE MIC, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5H-B	DXB series button cap (PERIOD, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5H-W	DXB series button cap (PERIOD, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5J-B	DXB series button cap (SMALL DOT, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5J-W	DXB series button cap (SMALL DOT, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5K-B	DXB series button cap (LARGE DOT/RECORD, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C5K-W	DXB series button cap (LARGE DOT/RECORD, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6A-B	DXB series button cap (APPLE TV, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6A-W	DXB series button cap (APPLE TV, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6B-B	DXB series button cap (KARAOKE, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6B-W	DXB series button cap (KARAOKE, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6C-B	DXB series button cap (LAPTOP, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6C-W	DXB series button cap (LAPTOP, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6D-B	DXB series button cap (TV SOUND, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-C6D-W	DXB series button cap (TV SOUND, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-CB-B	DXB series button cap (BLANK, black)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXB-CB-W	DXB series button cap (BLANK, white)	Laser-etched button cap • Can be reversed 180°	20,10 zł
DXE-122A-DS	1x2 HDMI® 4k Splitter	Supports HDMI® 2.0a Deep Color & 3D/DVI 1.0 compliant • HDCP 1.4/2.2 compliant • Auto EDID Management • EDID Emulation & Customizable EDID • Resolution up to 4K2K @ 60Hz • HDMI® in, 2 HDMI® out • Wide frequency range: 25MHz~600MHz • Video bandwidth: 18Gbps • Supports xvYCC, x.v.Color, & Deep Color • Mini-USB port for firmware updating & EDID Setup • Supports Dolby Digital®, DTS-HD™ & Dolby TrueHD® Audio • HDMI® & Power Connectors on same side for easy installation • Ultra-low profile to fit behind display	1 197,96 zł

DXE-142A-DS	1x4 HDMI® 4k Splitter	Supports HDMI® 2.0a Deep Color & 3D/DVI 1.0 compliant • HDCP 1.4/2.2 compliant • Auto EDID Management • EDID Emulation & Customizable EDID • Resolution up to 4K2K @ 60Hz • HDMI® in, 4 HDMI® out • Wide frequency range: 25MHz~600MHz • Video bandwidth: 18Gbps • Supports xvYCC, x.v.Color, & Deep Color • Mini-USB port for firmware updating & EDID Setup • Supports Dolby Digital®, DTS-HD™ & Dolby TrueHD® Audio • HDMI® & Power Connectors on same side for easy installation • Ultra-low profile to fit behind display	1 841,16 zł
DXE-218	2-to-8 HDMI® 4k Advanced Splitter	The DXE-218 is the first ever 8 port 4K60 4:4:4 HDMI® PoE Splitter with downscaling per individual output. The unit delivers enhanced capabilities such as individual CEC control, EDID management, Hot Plug Detection, and EDID reporting per output. This is all done through the LAN port for full control and statistics of all ports.	3 609,96 zł
DXE-CAT-RK3	3RU Rack Mount Kit for DXE-CAT-S1/S2	Fits up to 16 DXE-CAT units in 3RU space	1 599,96 zł
DXE-CAT-RK3BL	Blank Panel	For use with DXE-CAT-RK3 Rack Mount	32,16 zł
DXE-CAT-RX1-4K	HDBase™ receiver box (230-ft HDMI)	HDMI® HDBase™ Receiver module up to 230ft • Supports RS-232 & IR pass through • Receiver compatible with any other HDBase™ Compliant Transmitter device (PS0080-1 Power Supply and transmitter sold separately)	1 809,00 zł
DXE-CAT-RX2-4K	HDBase™ receiver box (330/600-ft HDMI)	HDMI® HDBase™ Receiver module up to 330ft (600ft with CAT-6a Shielded) • Dual Port LAN, PoE capable with RS-232 & IR pass through • Receiver compatible with any other HDBase™ Compliant Transmitter device (PS0080-1 Power Supply and transmitter sold separately)	2 211,00 zł
DXE-CAT-RX3	HDBase™ receiver box with dual relay and audio line in/out (330/600-ft HDMI)	Same as DXE-CAT-RX2 with added Dual Relay Control, Audio Line In & De-embedding Line Out. Receiver compatible with any other HDBase™ Compliant Transmitter device (PS0062-1 Power Supply Included, transmitter sold separately)	2 613,00 zł
DXE-CAT-RX3-A	HDBase™ receiver box with dual relay, audio line in/out & amplifier (330/600-ft HDMI)	Same as DXE-CAT-RX3 with added 2x35W Integrated Amplifier • Receiver compatible with any other HDBase™ Compliant Transmitter device (PS0077-1 Power Supply Included, transmitter sold separately)	3 609,96 zł
DXE-CAT-S1-4K	230ft - 1080P 60Hz / 4K, 36 Bit Color, IR & RS-232 Kit includes DXE-CAT-TX1-4K, DXE-CAT-RX1-4K & PS0080-1)	With a single CAT 5e/6/7 cable, the DXE-CAT-S1 can go up to 230ft 1080p 60Hz / 4K UHD 36bit color depth with bi-directional RS-232, & IR	3 207,96 zł
DXE-CAT-S2-4K	330/600ft - 1080P 60Hz / 4K, 48 Bit Color, IR, RS-232 & Dual Lan Kit includes DXE-CAT-TX2-4K, DXE-CAT-RX2-4K & PS0080-1 Power Supply	With a single CAT 5e/6/7 cable, the DXE-CAT-S2 can go up to 330ft 1080p 60Hz / 4K 48bit color depth with bi-directional RS-232, IR, & LAN (up to 600ft at 24bit color depth with CAT 6a shielded cable)	4 011,96 zł
DXE-CAT-TX1-4K	HDBase™ transmitter box (230-ft HDMI)	HDMI® HDBase™ Transmitter module up to 230ft • Supports RS-232 & IR pass through • Transmitter compatible with any other HDBase™ Compliant Receiver device or display (Power Supply and receiver sold separately)	1 809,00 zł
DXE-CAT-TX2-4K	HDBase™ transmitter box (330/600-ft HDMI)	HDMI® HDBase™ Transmitter module up to 330ft (600ft with CAT-6a Shielded) • Dual Port LAN, PoE capable with RS-232 & IR pass through • Transmitter compatible with any other HDBase™ Compliant Receiver device or display (Power Supply and receiver sold separately)	2 211,00 zł
DXW-2-B	2 input HDBase™ transmitter wall plate (330/600-ft VGA & HDMI, black)	2-gang Wall Plate Transmitter with 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Input selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable • Supports RS-232 & IR extension with Built-in IR Receiver • Wall Plate compatible with any HDBase™ Compliant Receiver device or display (Power Supply and receiver sold separately)	3 609,96 zł
DXW-2-W	2 input HDBase™ transmitter wall plate (330/600-ft VGA & HDMI, white)	2-gang Wall Plate Transmitter with 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Input selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable • Supports RS-232 & IR extension with Built-in IR Receiver • Wall Plate compatible with any HDBase™ Compliant Receiver device or display	3 609,96 zł
HT-TC1-PRO	4 input 4K60 4:4:4 uncompressed HDBase™ 2.0 transceiver 330ft	4K60 4:4:4 18Gbps and HDR Uncompressed • 1Gbps Ethernet • Full 480Mbps USB 2.0 with Directional Control • 4 HDMI inputs • Transceiver Operation • Audio DSP capable of metering and future EQ, mixing, sensing, filtering capability • Integrated web server for remote IP control of CEC, RS-232, & IR USB 2.0 with directional control • Optional expansion cards	5 619,96 zł
HT-TX1-WP2-B	2 input 4K60 4:4:4 uncompressed HDBase™ 2.0 transmitter wall plate 330ft (black)	2-gang Wall Plate Transmitter • 4K60 4:4:4 18Gbps and HDR Uncompressed • 1Gbps Ethernet • Full 480Mbps USB 2.0 with Directional Control • 2 HDMI inputs • Transmitter Operation • Audio DSP capable of metering and future EQ, mixing, sensing, filtering capability • Integrated web server for remote IP control of CEC, RS-232, & IR USB 2.0 with directional control • Optional expansion cards	5 217,96 zł
HT-TX1-WP2-W	2 input 4K60 4:4:4 uncompressed HDBase™ 2.0 transmitter wall plate 330ft (white)	2-gang Wall Plate Transmitter • 4K60 4:4:4 18Gbps and HDR Uncompressed • 1Gbps Ethernet • Full 480Mbps USB 2.0 with Directional Control • 2 HDMI inputs • Transmitter Operation • Audio DSP capable of metering and future EQ, mixing, sensing, filtering capability • Integrated web server for remote IP control of CEC, RS-232, & IR USB 2.0 with directional control • Optional expansion cards	5 217,96 zł

IBT-1-BX	AV Distribution Box Unit	Transceiver (Encoder or Decoder Selectable) • 4K60 4:4:4 with Zero Frame Latency • HDMI In/Out • PoE LAN • IPBaseT LAN Port • SFP for Single or Multi-mode Fiber • RS-232, IR, CEC • USB 2.0 Extension • Front Display with Buttons • Analog Audio Line In/Out • Rack Mount 4 in 1RU or 16 in 4RU • Consumes as Little as 5 Watts	3 609,96 zł
IBT-1-WP1-B	AV Distribution Wall Plate (Black)	Transceiver (Encoder or Decoder Selectable) • 4K60 4:4:4 with Zero Frame Latency • HDMI In/Out • PoE LAN • CEC • USB-C 2.0 Extension • Rear Dip Switch for Configuration • Consumes as Little as 5 Watts • Single Gang Available in White or Black	3 609,96 zł
IBT-1-WP1-W	AV Distribution Wall Plate (White)	Transceiver (Encoder or Decoder Selectable) • 4K60 4:4:4 with Zero Frame Latency • HDMI In/Out • PoE LAN • CEC • USB-C 2.0 Extension • Rear Dip Switch for Configuration • Consumes as Little as 5 Watts • Single Gang Available in White or Black	3 609,96 zł
IP-24POE+	24 Port 1G/10G PoE+/PoH+ injector 1RU	24 port PoE+/PoH+ injector • Supports 1G or 10G • Up to 30 watts per port • 1RU	7 067,16 zł
IPA-QSFP-40GMM-1	40Gbps QSFP Multi-mode Module	For use with IPX series with an SFP+ slot	3 199,92 zł
IPA-SFP-10G20	10Gbps SFP+ Dual Single Mode 1310nm Module 20KM	For use with IPX series with an SFP+ slot	1 599,96 zł
IPA-SFP-10G23C1	10Gbps SFP+ BIDI Single Mode 1270/1330nm Module 10KM	For use with IPX series with an SFP+ slot	2 001,96 zł
IPA-SFP-10G32C1	10Gbps SFP+ BIDI Single Mode 1330/1270nm Module 10KM	For use with IPX series with an SFP+ slot	2 001,96 zł
IPA-SFP-10GMM-1	10Gbps SFP+ Multi-mode LC 50/125 Module	For use with IPX series with an SFP+ slot	474,36 zł
IPA-SFP-1G20	1Gbps Single-mode Fiber SFP Module for VLX-TC1-CF	For use with VLX / VPX series with an SFP slot	321,20 zł
IPA-SFP-1GMM-1	1Gbps Multi-mode Fiber SFP Module for VLX-TC1-CF	For use with VLX / VPX series with an SFP slot	240,80 zł
IPA-SFP-OM3DXLC-1	OM3 Fiber 50/125 Multi-mode LC Patch Cable 1M	For use with IPX series with an SFP+ slot	80,30 zł
IPA-SFP-PPC-1	10Gbps SFP+ Copper Patch Cable 1M	For use with IPX series with an SFP+ slot	337,68 zł
IPA-SFP-RJ45-1	1Gbps Copper SFP Module RJ-45 for VLX/VPX	For use with VLX / VPX series with an SFP slot	393,96 zł
IPE-DTE-1	VLX, IPX-TC3 & HT Series 2 Channel Dante™ Option Card	Adds 2 Channel Dante™ audio to VLX, IPX-TC3 & HT Series	1 238,16 zł
IPE-LCVR-B	Blank cover for LAN port (black)	Prevents physical access to the front LAN port on the VLX, IPX, and HT series wall plates	80,00 zł
IPE-LCVR-W	Blank cover for LAN port (white)	Prevents physical access to the front LAN port on the VLX, IPX, and HT series wall plates	80,00 zł
IPE-USB-2	IPX-TC3 series Extreme USB option card	Adds USB 2.0 480Mbps to the IPX-TC3 Series	1 197,96 zł
IPE-USB-2VH	IPX-TC3 series Extreme USB virtual hub option card	Adds USB 2.0 480Mbps with virtual hub capabilities to the IPX-TC3 Series	1 278,36 zł
IPX-TC3A-C	3rd gen. 4K 10Gbps SDVoE AV-over-IP transceiver box (ASIC model, copper version)	Zero Compression/Latency 4K streaming over 10G Network • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • (Power Supply PS0081-1 sold separately)	6 423,96 zł
IPX-TC3A-CF-PRO	3rd gen. 4K 10Gbps SDVoE AV-over-IP transceiver box with 2 HDMI® in, 1 HDMI® out and advanced scaling (ASIC model, copper+fiber version)	Multi-Window, videowall, & scaling • Zero Compression/Latency 4K streaming over Redundant 10G Networks (Fiber + Copper) • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • SFP+ module NOT included • (Power Supply PS0081-1 sold separately)	7 629,96 zł
IPX-TC3A-DF-PRO	3rd gen. 4K 10Gbps SDVoE AV-over-IP transceiver box with advanced scaling (ASIC model, dual fiber version)	Multi-Window, videowall, & scaling • Zero Compression/Latency 4K streaming over Redundant 10G Networks (Dual Fiber) • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • SFP+ modules not included • (Power Supply PS0081-1 sold separately)	10 443,96 zł
IPX-TC3A-WP3-C-PRO-B	3rd gen. 4K 10Gbps SDVoE AV-over-IP transceiver wall plate (ASIC model, copper version, black)	Zero Compression/Latency 4K streaming over 10G Copper Network • 3-gang wall plate • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • (Power Supply PS0094-3 sold separately)	7 629,96 zł
IPX-TC3A-WP3-C-PRO-W	3rd gen. 4K 10Gbps SDVoE AV-over-IP transceiver wall plate (ASIC model, copper version, white)	Zero Compression/Latency 4K streaming over 10G Copper Network • 3-gang wall plate • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • (Power Supply PS0081-1 sold separately)	7 629,96 zł

IPX-TC3A-WP3-F-PRO-B	3rd gen. 4K 10Gbps SDVoE AV-over-IP transceiver 3-gang wall plate (ASIC model, fiber version, black)	Zero Compression/Latency 4K streaming over 10G Fiber Network • 3-gang wall plate • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • SFP+ module NOT included • (Power Supply PS0081-1 sold separately)	8 031,96 zł
IPX-TC3A-WP3-F-PRO-W	3rd gen. 4K 10Gbps SDVoE AV-over-IP transceiver 3-gang wall plate (ASIC model, fiber version, white)	Zero Compression/Latency 4K streaming over 10G Fiber Network • 3-gang wall plate • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • SFP+ module NOT included • (Power Supply PS0094-3 sold separately)	8 031,96 zł
IPX-TS3A-CF-PRO	3rd gen. 4K 10Gbps SDVoE AV-over-IP simultaneous encode/decode transceiver box with 2 HDMI® in, 1 HDMI® out and advanced scaling (ASIC model, copper+fiber version)	Multi-Window, videowall, & scaling • Zero Compression/Latency 4K streaming over Redundant 10G Networks (Fiber + Copper) • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • SFP+ module NOT included • (Power Supply PS0081-1 sold separately)	7 629,96 zł
IPX-TX3A-WP2-C-B	3rd gen. 4K 10Gbps SDVoE AV-over-IP transmitter 2-gang wall plate (ASIC model, copper version, black)	Zero Compression/Latency 4K streaming over 10G Copper Network • 2-gang wall plate • (2) HDMI inputs • Transmitter only	6 021,96 zł
IPX-TX3A-WP2-C-W	3rd gen. 4K 10Gbps SDVoE AV-over-IP transmitter 2-gang wall plate (ASIC model, copper version, white)	Zero Compression/Latency 4K streaming over 10G Copper Network • 2-gang wall plate • (2) HDMI inputs • Transmitter only	6 021,96 zł
IPX-UC1-ULTRA-1-I512-1T16G	All-in-one UC platform with integrated Intel i5 based PC	ICS-H4 Input Card with Intel i5 12th Gen, 16GB RAM and 1TB SSD	45 015,96 zł
IPX-UC1-ULTRA-1-I712-1T32G	All-in-one UC platform with integrated Intel i7 based PC	ICS-H4 Input Card with Intel i7 12th Gen, 32GB RAM and 1TB SSD	52 251,96 zł
IRC-BT1		Bluetooth remote for controlling the VPX Series products. (Shipping June 2024)	1 197,96 zł
LCN-DTE-2	2 Channel Dante Software License	2 Channel Dante Software License for VPX Series	795,96 zł
LCN-DTE-8	8 Channel Dante Software License	8 Channel Dante Software License for VPX Series	1 197,96 zł
LVB-1EU-1	European back box for RXT-4, RXT-8	Old-construction European type 86 wall box for RXT-4 and RXT-8	96,08 zł
LVR-2G	2-gang Low Voltage Mounting Bracket	For use with IPX, VLX & DXW Series Wall Plates	80,40 zł
LVR-3G	3-gang Low Voltage Mounting Bracket	For use with IPX, VLX & DXW Series Wall Plates	96,48 zł
LXC-1-G2	Control port expansion box with serial, relay, I/O, IR, and Ethernet control ports	Low cost, high performance • 32 bit RISC Processor • Telnet/TCP Controlled • 2 Serial Ports • 2 C-Type Relay Ports • 2 Digital I/O Ports • 1 IR Port • 10/100 LAN Power Over Ethernet (PoE) • Integrated Web Server • Integrated Setup Web Pages • Compact size, easily fits under tables, behind displays, & in cabinets • Works with all Aurora IP Control Products & other 3rd Party Controls • Low Power	1 841,16 zł
PS0024-1	12v DC 2A Power Supply	For use with VTunePro HD	401,60 zł
PS0062-1-AU	24v DC 24W Power Supply - AU	For use with DXW-2EU, 2EUH, RX3, RX3C	201,00 zł
PS0062-1-EU	24v DC 24W Power Supply - EU	For use with DXW-2EU, 2EUH, RX3, RX3C	201,00 zł
PS0062-1-UK	24v DC 24W Power Supply - UK	For use with DXW-2EU, 2EUH, RX3, RX3C	201,00 zł
PS0062-1-US	24v DC 24W Power Supply - US	For use with DXW-2EU, 2EUH, RX3, RX3C	201,00 zł
PS0077-1-AU	24v DC 90W Power Supply - AU	For use with DXE-CAT-RX3-A, RX3C-A	233,16 zł
PS0077-1-EU	24v DC 90W Power Supply - EU	For use with DXE-CAT-RX3-A, RX3C-A	233,16 zł
PS0077-1-UK	24v DC 90W Power Supply - UK	For use with DXE-CAT-RX3-A, RX3C-A	233,16 zł
PS0077-1-US	24v DC 90W Power Supply - US	For use with DXE-CAT-RX3-A, RX3C-A	474,36 zł
PS0079-1-AU	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	160,80 zł
PS0079-1-EU	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	160,80 zł
PS0079-1-UK	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	160,80 zł
PS0079-1-US	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	160,80 zł
PS0080-1-AU	24v DC Power Supply - AU/CN	For use with DXE-CAT	160,80 zł
PS0080-1-EU	24v DC Power Supply - EU	For use with DXE-CAT	160,80 zł
PS0080-1-UK	24v DC Power Supply - UK	For use with DXE-CAT	160,80 zł
PS0080-1-US	24v DC Power Supply - US	For use with DXE-CAT	160,80 zł
PS0081-1-AU	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX & IPX Series or any device requiring PoE power	241,10 zł
PS0081-1-EU	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX, IPX Series or any device requiring PoE power	241,10 zł
PS0081-1-UK	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX & IPX Series or any device requiring PoE power	241,10 zł
PS0081-1-US	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX, IPX, HT Series or any device requiring PoE power	241,10 zł
PS0094-3	48v DC 25 Watt Power Supply	For use with VLX, IPX, HT, and RXC Series • Phoenix style power connector • Comes with worldwide plug adapters (US, EU, AU/CN, UK)	160,80 zł
PS0096-1-AU	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	240,80 zł
PS0096-1-EU	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	240,80 zł
PS0096-1-UK	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	240,80 zł
PS0096-1-US	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	240,80 zł
PS0098-1	12v DC Power Supply	For use with VTunePro 4K	321,50 zł

PS0104-1		100-Watt USB-C Power Supply for Europe/Australia/UK/USA	554,76 zł
RK1-1-K	1RU Rack Mount Kit compatible with HTE Series	Fits up to two devices in a single rack space • Includes 1 blank plate (RK1-BP) & 4 rails (RK2-RL)	474,36 zł
RK1-4-K	4RU Rack Mount Kit compatible with HTE Series	Fits up to twelve devices in a 4RU rack space • Includes 6 blank plates (RK1-BP) & 24 rails (RK2-RL)	1 599,96 zł
RK1-BP	Rack Blank Plate compatible with RK2-1-K, RK2-5-K, RK1-1-K or RK1-4-K	For use with RK1-1-K or RK1-4-K rack mount kits	120,50 zł
RK2-1-K	1RU Dual Rack Mount Kit compatible with IPX-TC3A, IPX-TS3A, VPX-TC1, VLX-TC1, HT-TC1, RXC-1-G2, RXC-3-G2, RXC-4-G2, RXM-1, & ASP-42	Fits up to two devices in a single rack space • Includes 1 blank plate (RK2-BP) & 4 rails (RK2-RL)	474,36 zł
RK2-5-K	5RU 12 Rack Mounting Kit compatible with IPX-TC3A, IPX-TS3A, VPX-TC1, VLX-TC1, HT-TC1, RXC-1-G2, RXC-3-G2, RXC-4-G2, RXM-1, & ASP-42	Fits up to twelve devices in a 5RU rack space • Includes 6 blank plates (RK2-BP) & 24 rails (RK2-RL)	1 599,96 zł
RK2-BP	Rack Mount Blank Plate compatible with RK2-1-K, RK2-5-K, RK1-1-K or RK1-4-K	For use with RK2-1-K or RK2-5-K rack mount kits	120,50 zł
RK2-RL	Rack Mount Rail with Thumb Screw compatible with RK2-1-K, RK2-5-K, RK1-1-K or RK1-4-K	For use with RK2-1-K, RK2-5-K, RK1-1-K or RK1-4-K rack mount kits	120,50 zł
RK4-1D-K	1RU Dual Unit Rack Mount compatible with RXC-4	Fits up to two RXC-4 in a single rack space • Hardware included	393,96 zł
RK4-1S-K	1RU Single Unit Rack Mount compatible with RXC-4	Fits one RXC-4 in a single rack space • Hardware included	393,96 zł
RK5-3-K	19" 3-RU 2-Gang 1-Device Rack-Mount kit	For use with (1) 2-gang wall plate device	522,60 zł
RK7-1-K	1RU Single Unit Rack Mount for IPX-UC1 & DIDO-X4	Fits one IPX-UC1 or DIDO-X4 in a single rack space • Hardware included	401,60 zł
RXA-4-2G-B	Adapter plate for US 2-gang boxes, black	Adapts the RXT-4 & RXT-8 to US 2-gang wall boxes	240,80 zł
RXA-4-2G-W	Adapter plate for US 2-gang boxes, white	Adapts the RXT-4 & RXT-8 to US 2-gang wall boxes	240,80 zł
RXC-1-G2	ReAX control processor with serial, relay, I/O, IR, and Ethernet control ports	Dual-core ReAX Control Processor • Front OLED screen • One PoE PD LAN • One RS-232 • Two SPDT relays • Two I/Os • Two IR out • One IR receiver	3 207,96 zł
RXC-3-G2	ReAX control processor with additional serial, relay, I/O, IR, and Ethernet control ports	Dual-core ReAX Control Processor • Front OLED screen • Two LAN (one PoE PD) • Three RS-232 • Two SPST relays • Two I/Os • Three IR out • One IR receiver	4 815,96 zł
RXC-4-G2	ReAX control processor with maximum serial, relay, I/O, IR, and Ethernet control ports	Dual-core ReAX Control Processor • Front OLED screen • 4 RS-232 • 4 IR • 4 Relays • 4 I/O • 2 1G LAN (LAN1 with PoE) • Built in IR Learner	6 423,96 zł
RXM-1	ReAX control processor with Ethernet & WiFi, and HDMI out for BYO touch monitor or digital signage and media playback	1.8GHz hex-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android OS • WiFi & Ethernet (PoE capable)	8 031,96 zł
RXS-2-i512-1T16G	RXS-2 NUC PC with Intel i5, 16GB RAM and 1TB SSD	Intel i5 12th Gen, 16GB RAM and 1TB SSD	13 257,96 zł
RXS-2-i513-1T16G	RXS-2 NUC PC with 13th Gen Intel i5, 32GB RAM and 1TB SSD	Intel i5 13th Gen, 16GB RAM and 1TB SSD	14 544,36 zł
RXS-2-i713-1T32G	RXS-2 NUC PC with 13th Gen Intel i5, 32GB RAM and 1TB SSD	Intel i7 13th Gen, 32GB RAM and 1TB SSD	20 976,36 zł
RXT-10D-B	10" desktop ReAX touch panel control system with Ethernet, WiFi, and NFC (black)	ReAX Control Processor • 10" 1280x800 resolution • Android 9 OS with ReAX Core engine • Six-core processor • WiFi 802.11 b/g/n • PoE Ethernet • NFC	7 951,56 zł
RXT-10D-W	10" desktop ReAX touch panel control system with Ethernet, WiFi, and NFC (white)	ReAX Control Processor • 10" 1280x800 resolution • Android 9 OS with ReAX Core engine • Six-core processor • WiFi 802.11 b/g/n • PoE Ethernet • NFC	7 951,56 zł
RXT-10VS-B	10.1" VESA mount ReAX touch panel control system with Ethernet and WiFi (black)	1280x800 resolution • 1.8GHz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE capable)	7 999,80 zł
RXT-10VS-W	10.1" VESA mount ReAX touch panel control system with Ethernet and WiFi (white)	1280x800 resolution • 1.8GHz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE capable)	7 999,80 zł
RXT-10WM-B	10" wall mount ReAX touch panel control system with serial, I/O, relay, IR, and Ethernet control ports (black)	ReAX Control Processor • 10" 1280x800 resolution • Linux OS with ReAX Core engine • Two RS-232, Two IR, Two Relay, Two digital I/O • Room status lighting (red, green, blue) • 1G LAN PoE • Uses standard USA or European mounting Boxes	9 639,96 zł

RXT-15VS-B	15.6" VESA mount ReAX touch panel control system with Ethernet and WiFi (black)	1920x1080 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE+ capable)	10 411,80 zł
RXT-21VS-B	21.5" VESA mount ReAX touch panel control system with Ethernet and WiFi (black)	1920x1080 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE++ capable)	12 823,80 zł
RXT-4D-B	ReAX™ 4" Desktop Touch Screen/Controller with Beamforming Dante Microphone (black)	4" 720x720 Resolution 1000 nits • Six Core 2.0GHz Processor • 800MHz Audio DSP • ReAX™ Control Engine • Server-Side JavaScript • Ambient Light & Proximity • Front and Rear RGB LED Indicators • 3.5mm Headphone Out & Speaker • Beam Forming Microphones • Noise Cancelation • Feedback Suppression & Auto Gain • Dante/AES67 • Bluetooth • NFC • 1G LAN PoE+	6 825,96 zł
RXT-4DV-B		4" 720x720 Resolution 1000 nits • Six Core 2.0GHz Processor • 800MHz Audio DSP • ReAX™ Control Engine • Server-Side JavaScript • Ambient Light & Proximity • Front and Rear RGB LED Indicators • 3.5mm Headphone Out & Speaker • Beam Forming Microphones • Noise Cancelation • Feedback Suppression & Auto Gain • Dante/AES67 • Bluetooth • NFC • 1G LAN PoE+ • VPX Transmitter 1G AVoIP	12 453,96 zł
RXT-4WM-B	4" 1:1 aspect ratio wall mount ReAX touch panel control system with serial, relays, I/O, IR, and Ethernet control ports (black)	ReAX Control Processor • 4" 480 x 480 1:1 aspect ratio touch screen • (2) RS-232 • (2) IR • (2) Digital I/O • (2) Relays • 1G LAN PoE • LED Room Usage/Ambiance Lighting • QR Smart Room Logging and Scheduling • (Note: LVB-1EU-1 backbox included)	4 815,96 zł
RXT-8D-B	8" desktop ReAX touch panel control system with Ethernet and WiFi (black)	ReAX Control Processor • 10" 1280x800 resolution • Android 10 OS with ReAX Core engine • Quad-core processor • WiFi 802.11 b/g/n • PoE Ethernet	6 182,76 zł
RXT-8D-W	8" desktop ReAX touch panel control system with Ethernet and WiFi (white)	ReAX Control Processor • 8" 1280x800 resolution • Android 10 OS with ReAX Core engine • Quad-core processor • WiFi 802.11 b/g/n • PoE Ethernet	6 182,76 zł
RXT-8WM-B	8" wall mount ReAX touch panel control system with serial, I/O, relay, IR, and Ethernet control ports (black)	ReAX Control Processor • 8" 1280x800 resolution • Linux OS with ReAX Core engine • Two RS-232, Two IR, Two Relay, Two digital I/O • Room status lighting (red, green, blue) • 1G LAN PoE • Uses standard USA or European mounting Boxes	7 227,96 zł
SKR-22T-XFR	2x2ft (603mmx603mm) Ceiling Tile Mounted Speaker	25W RMS, 4/8Ohm or 70v, Class D Amplification (SKR-22T/SKR-22T-XFR sold as single speaker)	1 117,56 zł
TAV-10-B	10.1" next-gen infrared temperature sensing tablet, black	1280x800 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	15 267,96 zł
TAV-10-W	10.1" next-gen infrared temperature sensing tablet, white Note: Contact us for availability	1280x800 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	15 267,96 zł
TAV-15-B	15.6" next-gen infrared temperature sensing tablet, black	1920x1080 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE+ capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	16 875,96 zł
TAV-15-W	15.6" next-gen infrared temperature sensing tablet, white Note: Contact us for availability	1920x1080 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE+ capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	16 875,96 zł
TAV-21-B	21.5" next-gen infrared temperature sensing tablet, black	1920x1080 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE++ capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	18 483,96 zł
TAV-21-W	21.5" next-gen infrared temperature sensing tablet, white Note: Contact us for availability	1920x1080 resolution • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE++ capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	18 483,96 zł
TAV-BX1-B	Standalone temperature sensing kit, includes RXM-1 controller and black TAV-A80 camera	Control unit and camera, bring your own display • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	16 071,96 zł
TAV-BX1-W	Standalone temperature sensing kit, includes RXM-1 controller and white TAV-A80 camera	Control unit and camera, bring your own display • 1.8Ghz six-core processor • 4GB DDR3 • 32GB eMMC Flash • HDMI Output • Android 9 OS • WiFi & Ethernet (PoE capable) • 1-4ft (0.3-1.2m) temperature check distance • +/- 0.9°F (0.5°C) accuracy	16 071,96 zł
TPG-8K	8K HDMI 2.1 Test Pattern Generator & Analyzer with SDVoE Option and AVoIP Tests	8K HDMI 2.1 Test Pattern Generator & Analyzer with SDVoE Option and AVoIP Tests	28 131,96 zł
TPG-SDVOE	SDVoE Option Card	4K SDVoE Simultaneous Transceiver Card	7 227,96 zł

VPX-RX1-SDM	1G AV over IP SDM Card	4K60 4:4:4 UHD Decoder • Zero Frame Latency (1.78ms) • HDMI 2.0b, HDCP 2.2 • HDR10, HDR10+, Dolby Vision • LPCM up to 12-channels, Dolby Digital Plus, Dolby TrueHD DTS HD Master Audio & ATMOS • 12 bits color depth processing, 16bits OSD • Enterprise Security (AES 256, 802.1x, HTTPS, & SSH) • Low Power Design • Scaling & Seamless Switching • MJPEG Preview up to 720p30. • Video Wall with Image Rotation • 1G LAN PoE and SFP for Fiber or 2nd RJ-45 • Channel Mapping with On-Screen Preview • Roaming mouse & hotkeys • Integrated Web Server for Configuration • USB 2.0 Ports for Cameras, HID Devices, Mass Storage, etc. • Dante® 2 Ch Audio License Options & Dante Controller	6 423,96 zł
VPX-TC1-LT	Next-gen 4K30 4:4:4 1Gbps AV-over-IP transceiver box utilizing Aurora's Mimix™ CODEC technology (copper+SFP slot)	4K30 4:4:4 UHD 120m over 1G CAT 5e • One Frame Latency (16.6ms) • Low Power Fanless Design • Seamless Switching • Video Wall with Image Rotation • 1G LAN PoE and SFP for Fiber or Second RJ-45 • 1 HDMI Input, 1 HDMI Output	4 815,96 zł
VPX-TC1-PRO	Next-gen 4K60 4:4:4 1Gbps AV-over-IP transceiver box utilizing Aurora's Mimix™ CODEC technology (copper+SFP slot)	4K60 4:4:4 UHD 120m over 1G CAT 5e • One Frame Latency (16.6ms) • Low Power Fanless Design • Seamless Switching • Video Wall with Image Rotation • 1G LAN PoE and SFP for Fiber or Second RJ-45 • 2 HDMI Inputs, 1 HDMI Output	6 423,96 zł
VPX-TC1-WP2-PRO-B	Next-gen 4K60 4:4:4 1Gbps AV-over-IP transceiver wall plate utilizing Aurora's Mimix™ CODEC technology (black)	4K60 4:4:4 UHD 120m over 1G CAT 5e • One Frame Latency (16.6ms) • Seamless Switching • 1G LAN PoE • 1 HDMI and 1 USB-C Input	6 423,96 zł
VPX-TC1-WP2-PRO-W	Next-gen 4K60 4:4:4 1Gbps AV-over-IP transceiver wall plate utilizing Aurora's Mimix™ CODEC technology (white)	4K60 4:4:4 UHD 120m over 1G CAT 5e • One Frame Latency (16.6ms) • Seamless Switching • 1G LAN PoE • 1 HDMI and 1 USB-C Input	6 423,96 zł
VPX-UC1-ULTRA		4K60 1G Unified Communication AVoIP Transceiver • 8-Core 2.4GHz Processor • 8K60 Dual HDMI Outputs • No SSD	12 051,96 zł
VPX-UC1-ULTRA-1TB	4K60 1G Unified Communication AVoIP Transceiver	4K60 1G Unified Communication AVoIP Transceiver • 8-Core 2.4GHz Processor • 8K60 Dual HDMI Outputs • 1TB SSD	13 659,96 zł
WMT-1	Wall mount for temperature-check tablets	75x75mm & 100x100mm VESA mount pattern	192,96 zł